RECEIVED CENTRAL FAX CENTER

JUN 27 2006



Jones, Tullar & Cooper, PC

PO Box 2266 Eads Station Arlington, VA 22202

To:

USPTO- GAU 3752

Fax number:

5712738300

From:

William A. Blake

Fax number:

703-415-1508

Business phone:

703-415-1500

Home phone:

Date & Time:

6/27/2006 5:36:32 PM

Pages:

13

Re:

USAN 10/807,511

JUN 27 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of)	Atty. Dkt. No. McCrack 347-50B
Thomas William McCracken et al.)	Examiner: McGraw, Trevor Edwin
Application No. : 10/807,511) .	Art Unit 3752
Filed : March 24, 2004)	
For : MIXING ARRANGEMENT FOR ATOMIZING NOZZLE IN MULTI-PHASE FLOW)	
AMENDMENT TRANSMITTAL-	FILED VI	A FAX TO (571)-273-8300
Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450		
Sir:		

Transmitted herewith is an Amendment for the above-identified application.

Applicants hereby request that the time period for responding to the Office Action, which was mailed on February 27, 2006, be extended one month to June 27, 2006.

Please charge the \$120.00 extension fee and any other fees due by this paper to Deposit Account No. 10-1213.

Respectfully submitted,

/William A. Blake/ William A. Blake Reg. No. 30,548

JONES, TULLAR & COOPER, P.C. P.O. Box 2266, Eads Station Arlington, VA. 22202 (703) 415-1500 Dated: June 27, 2006

06/29/2006 NNGUYENI 00000026 101213 10807511 01 FC:1251

120.00 DA

RECEIVED CENTRAL FAX CENTER

JUN 2 7 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of)	Atty. Dkt. No. McCrack 347-50B
Thomas William McCracken et al.)	Examiner: McGraw, Trevor Edwin
Application No.: 10/807,511)	Art Unit 3752
Filed : March 24, 2004)	
For : MIXING ARRANGEMENT FOR ATOMIZING NOZZLE IN MULTI-PHASE FLOW)	
AMEN	<u>IDMENT</u>	
Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450		

In response to the Office Action, which was mailed on February 27, 2006, Applicants request that the attached amendments to the claims, specification and abstract be entered in the above-referenced application.

Sir: